



KING COUNTY

1200 King County Courthouse
516 Third Avenue
Seattle, WA 98104

Signature Report

August 23, 2010

Ordinance 16909

Proposed No. 2010-0259.1

Sponsors Phillips and Ferguson

1 AN ORDINANCE approving the Woodinville Water
2 District 2008 Comprehensive Water System Plan.

3 STATEMENT OF FACTS:

4 1. King County has adopted K.C.C. chapter 13.24, which requires
5 approval of comprehensive plans for water utilities that distribute or obtain
6 water in unincorporated King County as a prerequisite for operating in
7 unincorporated King County, receiving approval for annexation proposals,
8 being granted right-of-way franchises, and being given approval for right-
9 of-way construction permits. K.C.C. 13.24.060 prescribes the
10 requirements for approval of such plans, including consistency with state
11 and local planning requirements.

12 2. RCW 57.16.010 requires that general comprehensive plans for water
13 districts be submitted to, and be approved by, the legislative authority
14 within whose boundaries all or a portion of the district lies.

15 3. Woodinville water district's last water system plan was prepared in
16 2000. Both Washington state Department of Health ("DOH") and King
17 County regulations require water system plans to be updated every six
18 years.

19 4. The Woodinville water district ("the district") is in King County and
20 has adopted a 2008 comprehensive water system plan ("the plan").

21 5. King County has adopted a comprehensive plan that includes water
22 supply policies in its provisions for facilities and services (policies F-201
23 through F-244) that call for consistency with other adopted plans, support
24 for regional water supply planning, pursuit of reclaimed water, water
25 conservation and protection of water resources.

26 6. K.C.C. chapter 13.24 requires the utilities technical review committee
27 ("UTRC") to review and make a recommendation to the King County
28 executive and council on the plan and the requirements under K.C.C.
29 chapter 13.24 and consistency with the King County Comprehensive Plan.
30 The UTRC has reviewed the planning data and district operations and
31 found:

32 a. The district is in compliance with its comprehensive plan, including
33 water conservation elements, and can meet its duty to provide timely and
34 reasonable service within its service area as required under chapters 43.20
35 and 70.116 RCW;

36 b. The infrastructure system for the existing service area and for the area
37 anticipated to be served in the future is based on the adopted land use map
38 of the Comprehensive Plan. The population and employment forecasts
39 developed for the service area are appropriately used;

- 40 c. The plan has information sufficient to demonstrate the ability to
41 provide service consistent with the requirements of all applicable statutes,
42 codes, rules and regulations;
- 43 d. The plan is consistent with the DOH planning requirements under
44 chapter 246-290 WAC and includes an evaluation of reclaimed water
45 opportunities, as required by RCW 90.46.120;
- 46 e. The plan is consistent with K.C.C. chapter 17.08 relating to the
47 installation of fire hydrants and water mains;
- 48 f. The plan is consistent with state and local health standards;
- 49 g. The plan supports the creation and maintenance of logical service
50 areas consistent with the East King County Coordinated Water System
51 Plan approved under chapters 43.20 and 70.116 RCW and the duty to
52 serve under RCW 43.20.260;
- 53 h. The plan is consistent with service area boundary requirements as
54 identified in RCW 90.03.386;
- 55 i. The district works with the cities and other special purpose districts to
56 ensure the elimination or prevention of duplicate facilities;
- 57 j. The district provides service at a reasonable cost, maximizes the use of
58 the existing public facilities, and participates in the implementation of the
59 East King County Coordinated Water System Plan, all of which promotes
60 the most reliable and healthful service to the public;
- 61 k. The plan is consistent with the King County Comprehensive Plan and
62 other pertinent county adopted plans and policies;

63 1. The district meets applicable state water quality and water conservation
64 standards; and

65 m. The plan is consistent with the Growth Management Act and district
66 water used was diverted consistent with a habitat conservation program for
67 the source.

68 7. The DOH approval of the district's plan is pending King County
69 council action.

70 8. The district completed a state Environmental Policy Act checklist and
71 issued a determination of nonsignificance for the issuance of the plan on
72 October 8, 2008. There was no appeal.

73 9. The district's operations and facilities meet multiple existing statutory,
74 administrative and planning standards. As the district's operations,
75 facilities and planning meet the requirements of the King County Code,
76 and are consistent with the King County Comprehensive Plan, the UTRC
77 recommends approval of the plan.

78 BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:

79 SECTION 1. The Woodinville Water District 2008 Comprehensive Water

80 System Plan, Attachment A to this ordinance, is hereby approved as a comprehensive
81 water system plan.
82


Ordinance 16909 was introduced on 4/26/2010 and passed by the Metropolitan King County Council on 8/23/2010, by the following vote:

Yes: 6 - Mr. Phillips, Mr. von Reichbauer, Ms. Hague, Ms. Patterson,
Ms. Lambert and Mr. Ferguson

No: 0


Excused: 3 - Ms. Drago, Mr. Gossett and Mr. Dunn

KING COUNTY COUNCIL
KING COUNTY, WASHINGTON



Robert W. Ferguson, Chair


ATTEST:



Anne Noris, Clerk of the Council

2010 AUG 27 PM 3:52
CLERK
KING COUNTY COUNCIL
RECEIVED

APPROVED this 27 day of August, 2010.



Dow Constantine, County Executive

Attachments: A. Woodinville Water District 2008 Comprehensive Water System Plan