

DETERMINATION OF NONSIGNIFICANCE

Issued with a 14-day comment and appeal period

Description of Proposal:

This threshold determination analyzes the environmental impacts associated with the following actions, which are so closely related to each other that they are in effect a single course of action:

1. The adoption of the Riverview School District's Capital Facilities Plan 2024-2030 by the Riverview School District No. 407 for the purposes of planning for the facilities needs of the District; and
2. The amendment of the Comprehensive Plan of King County to include the Riverview School District's Capital Facilities Plan 2024-2030 as part of the Capital Facilities Element of the County's Comprehensive Plan.
3. The amendment of the Comprehensive Plans of the cities of Carnation and Duvall to include the Riverview School District's Capital Facilities Plan 2024-2030 as part of the Capital Facilities Element of each city's Comprehensive Plan.

Proponent: Riverview School District No. 407

Location of the Proposal:

The Riverview School District includes an area of approximately 250 square miles. A portion of King County falls within the District's boundaries, as well as the cities of Duvall and Carnation.

Lead Agency:

Riverview School District No. 407

The lead agency for this proposal has determined that the proposal does not have a probable significant adverse environmental impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after a review of the completed environmental checklist and other information on file with the lead agency. This information is available to the public upon request.

This Determination of Nonsignificance (DNS) is issued under WAC 197-11-340(2). The lead agency will not act on this proposal for 14 days from the date of issue. Comments and/or appeals must be submitted by 4:30 p.m. on June 25, 2024. The responsible official will reconsider the DNS based on timely comments and may retain, modify, or, if significant adverse impacts are likely, withdraw the DNS. If the DNS is retained, it will be final after the expiration of the comment deadline.

Responsible Official: Dr. Susan Leach
Superintendent
Riverview School District No. 407

Telephone: (425) 844-4500

Address: Riverview School District
15510 1st Ave NE
PO Box 519
Duvall, WA 98019

Date of Issue: June 11, 2024
Date Published: June 14, 2024