

16

KING COUNTY

1200 King County Courthouse 516 Third Avenue Seattle, WA 98104

Signature Report

October 31, 2005

Ordinance 15310

Proposed No. 2005-0400.1

Sponsors Lambert

1 AN ORDINANCE relating to the establishment of NE Tolt 2 Hill Road from a point approximately 1100 feet westerly of 3 the Snoqualmie river to a point approximately 1000 feet easterly of the Snoqualmie river. 5 6 7 BE IT ORDAINED BY THE COUNCIL OF KING COUNTY: 8 SECTION 1. The director of the department of transportation has made an 9 examination of NE Tolt Hill Road from a point approximately 1100 feet westerly of the 10 Snoqualmie river to a point approximately 1000 feet easterly of the Snoqualmie river 11 along the course and description set forth below and has made a favorable report upon the 12 same, as required by RCW 36.81.050. 13 SECTION 2. Said road shown on Attachment A to this ordinance shall be 14 established as follows: From the beginning point, engineer's station 25+00, to a point 15 2100 feet easterly, being the centerline of NE Tolt Hill Road, engineer's station 46+00,

the road is established at not less than 100 feet in width, having a minimum of 50 feet of

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

such width on	each side of	the centerline	, all exclusive	of slopes for	r cuts and	fills, and
except for the	following:					

A. Across the state-owned lands of the Snoqualmie river, not less than 47.34 feet in width, having 23.67 feet of such width on either side of the centerline; and

B. Along the south side of NE Tolt Hill Road westerly of the realigned intersection of West Snoqualmie River Road NE, no additional right-of-way is required.

NE Tolt Hill Road shall be established along the following described centerline: Commencing at the southwest corner of the southeast quarter of the northeast quarter of Section 20 Township 25 North, Range 7 East, W.M., being a calculated point, having NAD83/91 coordinates of N234303.547, E1369182.030 according to King County Survey; Thence N00°22'27"E along the west line of the SE 1/4 of the NE 1/4 of said Section 20, a distance of 228.35 feet to Engineer's Station 22+63.45, being a point on the centerline of existing NE Tolt Hill Road; Thence N86°47'13"E along the centerline of NE Tolt Hill Road a distance of 144.33 feet to a monument in case, having coordinates of N234539.977, E1369327.622, being the beginning of a curve, concave northerly (to the left), having a radius of 1500 feet; Thence easterly on said curve through a central angle of 03°31'21", an arc length of 92.22 feet to the Point of Beginning of this Establishment centerline of "Realigned NE Tolt Hill Road" designated as Engineer's Station 25+00.00; Thence continue easterly along said curve having a radius of 1500 feet, through a central angle of 00°34'36", an arc length of 15.09 feet; Thence N82°41'16"E a distance of 1244.08 feet to the beginning of a curve, concave southerly (to the right), having a radius of 2049.76 feet; Thence easterly on said curve through a central angle of 16°58'42", an arc length of 607.40 feet to a point on the centerline of existing NE Tolt Hill Road;

Attachments

A. Establishment Plan Map

Ron Sims, County Executive

Establishment Plan

