

19

## **KING COUNTY**

1200 King County Courthouse 516 Third Avenue Seattle, WA 98104

## Signature Report

## Ordinance 18897

|    | Proposed No. 2019-0088.1 Sponsors Lambert                                    |      |
|----|--|------|
| 1  | AN ORDINANCE approving the Seattle Public Utilities                          |      |
| 2  | 2019 Water System Plan.  |      |
| 3  | STATEMENT OF FACTS:  |      |
| 4  | 1. King County has adopted K.C.C. chapter 13.24, which requires              |      |
| 5  | approval of comprehensive plans for water utilities that distribute or obt   | ain  |
| 6  | water in unincorporated King County as a prerequisite for operating in       |      |
| 7  | unincorporated King County, receiving approval for annexation proposa        | ıls, |
| 8  | being granted right-of-way franchises and being given approval for righ      | t-   |
| 9  | of-way construction permits. K.C.C. 13.24.060 prescribes the                 |      |
| 10 | requirements for approval of such plans, including consistency with stat     | e    |
| 11 | and local planning requirements.   |      |
| 12 | 2. RCW 70.116.050 requires that general comprehensive plans for water        | r    |
| 13 | within critical water supply service areas be submitted to, and approved     |      |
| 14 | by, the legislative authority within whose boundaries all or a portion of    | a    |
| 15 | utility lies.  |      |
| 16 | 3. The city of Seattle's last water system plan was prepared in 2013.        |      |
| 17 | 4. The city's service area is within a critical water supply service area as | nd   |
| 18 | has adopted a Water System Plan ("the plan").                                |      |

5. King County has adopted a comprehensive plan that includes water

| 20 | supply policies in its provisions for facilities and services (policies F-107 |
|----|---|
| 21 | through F-253) that call for consistency with other adopted plans, support    |
| 22 | for regional water supply planning, pursuit of reclaimed water, water         |
| 23 | conservation and protection of water resources.                               |
| 24 | 6. K.C.C. chapter 13.24 requires the utilities technical review committee     |
| 25 | to review and make a recommendation to the King County executive and          |
| 26 | council on the plan and the requirements under K.C.C. chapter 13.24 and       |
| 27 | consistency with the King County Comprehensive Plan. The utilities            |
| 28 | technical review committee has reviewed the planning data and city            |
| 29 | operations and has found:   |
| 30 | a. The plan uses population and employment forecasts developed by the         |
| 31 | Puget Sound Regional Council for the city's service area;                     |
| 32 | b. Portions of the city's service area are in unincorporated King County;     |
| 33 | c. The capital facility plan is adequate to meet anticipated facility and     |
| 34 | service needs;  |
| 35 | d. The plan is consistent with applicable Washington state water quality      |
| 36 | laws, including the evaluation of reclaimed water use;                        |
| 37 | e. This ordinance does not change the city's water right or rights place of   |
| 38 | use under RCW 90.03.386; and  |
| 39 | f. The plan is consistent with other pertinent county adopted plans and       |
| 40 | policies.   |
| 41 | 7. The Washington state Department of Health approval of the city's plan      |
| 42 | is pending King County council action.  |

| 43 | 8. Under the state Environmental Policy Act the city issued a               |
|----|---|
| 44 | determination of nonsignificance for the issuance of the plan on March 12   |
| 45 | 2018, and there were no appeals.  |
| 46 | 9. The city's operations and facilities meet multiple existing statutory,   |
| 47 | administrative and planning standards. As the city's operations, facilities |
| 48 | and planning meet the requirements of the King County Code, and are         |
| 49 | consistent with the King County Comprehensive Plan, the utilities           |
| 50 | technical review committee has recommended approval of the plan.            |
| 51 | BE IT ORDAINED BY THE COUNCIL OF KING COUNTY:                               |

52 <u>SECTION 1.</u> The Seattle Public Utilities 2019 Water System Plan, Attachment A

to this ordinance, is hereby approved as a water system plan.

54

**5**3

Ordinance 18897 was introduced on 4/17/2019 and passed by the Metropolitan King County Council on 5/22/2019, by the following vote:

Yes: 9 - Mr. von Reichbauer, Mr. Gossett, Ms. Lambert, Mr. Dunn, Mr. McDermott, Mr. Dembowski, Mr. Upthegrove, Ms. Kohl-Welles and Ms. Balducci



KING COUNTY COUNCIL KING COUNTY, WASHINGTON

Rod Dembowski, Chair

ATTEST:

Melani Pedroza, Clerk of the Council

APPROVED this 30 day of MAY

Dow Constantine, County Executive

Attachments: A. Seattle Public Utilities 2019 Water System Plan